MIZORAM UNIVERSITY JOURNAL OF HUMANITIES & SOCIAL SCIENCES
A Refereed Bi-annual Journal
A Peer-Reviewed Open Access Journal
ISSN(P): 2395-7352
eISSN: 2581-6780
Volume XII, Issue 1
June 2026

Interventions and Activities for Graphomotor Improvement for Preschool Children: A Review

Rajani Karnwal[*]
Dr. Khwairakpam Sharmila[†]
https://doi.org/10.22232/mzujhss.2026.12.01.13

Abstract

It is essential for children to improve their graphomotor abilities during the early years of life in order to have successful language proficiency and scholastic advancement. This research paper's objective is to analyze a variety of interventions and activities that are intended to improve graphomotor abilities in children between the ages of three and seven. This thorough guide is intended for educators, parents, and intervention specialists, and it examines both traditional and technology-based methods to the process of intervention. Additionally, the research paper discusses the importance of having fine motor skills, developmental milestones, with the addition of sensory input in order to achieve the best possible graphomotor enhancement. This article explores the role that play-based learning, occupational therapy, and assistive technologies play in education and provides educators and parents with actionable solutions for working together. In addition, the research paper emphasizes the

[*] Research Scholar, Department of Human Development and Family Studies, School of Home Science Babasaheb Bhimrao Ambedkar University, Lucknow-226025(Uttar Pradesh), India Email ID: khwairakpamsharmila@gmail.com karnwalrajani7962@gmail.com

[†] Assistant Professor, Department of Human Development and Family Studies, School of Home Science Babasaheb Bhimrao Ambedkar University, Lucknow-226025(Uttar Pradesh), India

significance of monitoring progress, including components that involve many senses, and taking into account cultural and individual differences in the process of intervention. The purpose of this article is to offer a comprehensive understanding of effective graphomotor therapies for the age group that is being targeted by addressing challenges and taking unique factors into account with regard to those interventions.
Keywords: *Fine motor abilities; Graphomotor abilities; Occupational therapy; Preschool children; Technology-based methods*

Introduction

The concept of graphomotor abilities refers to the effective use of writing tools like pencils, encompassing various fine-motor skills essential for tasks involving writing and other cognitive activities. Graphomotor tasks integrate multiple cognitive and musculoskeletal processes, including size discrimination, visual retrieval, orientation discrimination, and visual-spatial perception. These abilities are vital for everyday functioning and contribute to the development of other skills such as perception, cognition, and language. Research indicates that graphomotor skills are strong predictors of academic success; however, they remain underexplored in preschool developmental studies. While there is extensive literature on issues faced by school-age children, handwriting difficulties are often overlooked, leading to misconceptions about children labeled as “lazy” or “unmotivated” when they struggle with writing. Such challenges can result in avoidance behaviors, prolonging writing tasks significantly.

Handwriting relies on several interconnected factors. Visual-perceptual skills, for instance, enable children to distinguish between graphic shapes and assign meaning to visual stimuli. This set of skills includes visual closure and visual discrimination, both crucial for producing legible handwriting. Structural orthography refers to the memory capabilities needed to recall printed words and their components, with deficiencies in this area often linked to poor handwriting quality.

Motor control and coordination, or praxis, involves organizing and executing motor actions, which develops in three phases: the cognitive phase, where students conceptualize the task; the intermediate phase, where movement patterns become synchronized; and the autonomous phase, characterized by the formation of solid motor plans with reduced conscious thought. Effective handwriting requires not just visual feedback but also proprioceptive input from the body to facilitate movement coordination.

Dyspraxia, the difficulty in assigning muscles for appropriate functions during writing, underlines the challenges some children face. It emphasizes the importance of having a proper grip, where specific fingers stabilize and mobilize the pencil to enable legible handwriting at a speed conducive to classroom activities. Kinesthetic feedback enhances motor actions, allowing for adjustments based on how the body perceives and responds during writing.

Visual-motor coordination synchronizes motor output with visual input, whereby kinesthetic feedback is crucial for maintaining legibility. While visual feedback provides a broad overview of writing, kinesthetic feedback is vital for precise coordination, helping writers stay within margins and produce legible text. Understanding these interdependencies is essential for addressing handwriting difficulties and supporting children's development of graphomotor skills.

Issues related to Graphomotor Skills

Visual-perceptual skills deficits in children can significantly hinder reading by affecting their ability to differentiate similar letters like 'b' and 'd'. Challenges in visual closure can impair letter formation and legibility, often detectable through standardized tests. Additionally, deficits in orthographic coding may cause inconsistent letter formation in writing, resulting in phonetic spelling errors and a preference for print writing over cursive (Levine et al., 1993).

Motor planning deficits, or dyspraxia, involve inadequate execution of voluntary movements necessary for writing. Luria's 1966 research categorized dyspraxia into two types: difficulty in mental representation of actions and malfunction in central nervous system processes leading to motor execution challenges (Deuel & Doar, 1992). Children with dyspraxia often struggle with fine motor coordination, affecting their pencil grip and causing discomfort while writing.

Impaired kinesthetic input in children can lead to improper gripping of writing tools and restricted finger movement, resulting in increased pressure and slowed writing speed. Although some children may excel in other fine motor tasks, enhancing kinesthetic sensitivity appears to improve handwriting ability more effectively than practicing handwriting alone. Children with deficits in kinesthetic input may also show different behaviors in tasks requiring visual-motor coordination, such as using a computer mouse or painting (Harris & Livesey, 1985)..

Techniques for Graphomotor Issues

Students facing orthographic coding and graphomotor challenges can benefit from accommodations to enhance their writing and learning. Useful tools include taped alphabet lines and typed assignments that require modifications. Teachers may reduce workload and allow extra time for assignments while focusing assessments on content understanding rather than writing mechanics. Encouraging typing and utilizing software can assist students through various writing stages. Providing written materials, such as handouts, and using additional textbooks for organization are recommended. A dual grading system can separate content quality from writing appearance, and promoting self-correction can foster learning, with staff understanding that delays often relate to graphomotor issues rather than motivation. Electronic tools like the Franklin Speaking Spelling Ace can aid students with handwriting difficulties.

Traditional Interventions for Graphomotor Improvement

Conventional therapies for enhancing graphomotor skills focus on various strategies to improve handwriting clarity, fine motor control, and overall motor skills. According to (Graham et al., 2008) a key challenge identified is "incorrect" pencil grasp, which was noted by 41% of teachers in a 2008 survey. Occupational therapists recommend the dynamic tripod grip as a solution. Grasp patterns evolve as children develop, moving from primitive grasps characterized by whole forearm movement and non-aligned fingers to more refined grips.

Pencil grasp development

Four established grasp patterns for functional writing include:

- Dynamic Tripod (DT): This is the most recommended grip, involving a tripod formation with the thumb, index, and middle fingers. It develops between ages four and six and continues improving until age fourteen (Graham, 2018).
- Lateral Tripod (LT): Also known as thumb or side tripod, this grip features the thumb tucked under the index finger, controlling the pencil primarily with the index and middle fingers.
- Dynamic Quadrupod (DQ): Similar to the DT grip but incorporating three fingers alongside the thumb, commonly observed in second graders (Taylor et al., 2007).
- Lateral Quadrupod (LQ): This grip resembles the LT but engages four fingers to maneuver the pencil, initiated by the ring, middle, and index fingers.

Effective pencil gripping involves the intrinsic muscles of the hand for drawing while managing extrinsic muscle tension to avoid a fixed finger

position. The term "dynamic" applies to both lateral grasps, emphasizing the need for flexible hand movement during writing.



Figure 1: Types of Pencil grasp

Fine motors exercises

Fine motor skills involve the dexterity of small muscles in the hands for activities such as writing, self-feeding, and cutting (Lelong et al., 2021). To enhance these skills, the following exercises are recommended:

1. Free Drawing: Regular sketching without constraints boosts motor skills.
2. Process-Based Art: Engaging in art focused on the creation process helps develop fine motor skills (Taverna et al., 2020).
3. Construction Play: Using toys like blocks and Legos strengthens

finger muscles and teaches various skills (John & Renumol, 2018).

4. Sensory Play: Activities with materials like play dough and sand improve manipulation skills.
5. Puzzles: Assembling puzzles enhances focus and fine motor control.
6. Lacing and Threading: This activity promotes concentration and fine motor skill development through tasks like threading beads and tying shoelaces.

Hand-Eye coordination activities

Coordination, especially hand-eye coordination, is vital for physical fitness and motor learning. It aids in acquiring motor skills, crucial for instructors focusing on children with coordination issues. Hand-eye coordination connects visual information with hand movements, influencing daily tasks and social skills. Studies show children's coordination enhances from preschool to elementary school, significantly aided by parental involvement in activities like throwing and catching, which also promotes skills through drawing (Wai et al., 2016).

Technology-based interventions for Graphomotor Improvement

Fine motor control, handwriting legibility, and general motor abilities can all be improved with the use of technology-based therapies for graphomotor development. These interventions entail the utilization of digital tools and software. Interventions such as the following:

Digital technology and early writing

Ayres Sensory Integration (ASI), introduced by Dr. A. Jean Ayres in the 1970s, emphasizes the importance of intersensory integration for children's learning, emotional regulation, and adaptive behavior. Challenges in sensory processing can impede a child's daily activities, such as dressing and socializing (Kilroy et al., 2019). ASI highlights the brain's

capacity to receive and interpret sensory information, noting that impairments can affect vestibular, proprioceptive, tactile, and emotional systems, resulting in difficulties with movement, attention, and behavior.

The vestibular and proprioceptive systems are essential for postural control and motor planning (Lane et al., 2019). Children with Autism Spectrum Disorder (ASD) often face sensory processing challenges, leading to sensory overload and maladaptive responses. Ayres acknowledged that ineffective sensory processing could reduce children's motivation and involvement in meaningful activities.

Sensory Integration Therapy (SIT), typically conducted by occupational therapists, aims to improve sensory processing through structured sensory-motor activities known as "just-right challenges." Examples include swinging and obstacle courses, which are meant to enhance sensory organization and motor planning. ASI benefits children with coordination issues, ADHD, ASD, and other behavioral disorders (Kashefimehr et al., 2017).

This therapy is based on neuroplasticity, suggesting that repetitive sensory experiences can reform neural pathways and boost functionality. (Randell et al., 2019) Research indicates that enriched sensory environments promote brain development and enhance adaptive behavior, with ASI linked to improvements in motor skills, attention, communication, and social engagement. Even minor enhancements can substantially improve the quality of life for children with significant developmental disorders (Schoen et al., 2019)s.

To assess sensory processing difficulties, professionals utilize sensory profiles, parent interviews, and behavioral observations, leading to personalized intervention plans (Drobnyk et al., 2019), (Devlin et al., 2011). Sensory issues are categorized into modulation, discrimination, and motor disorders, tackling problems like over-responsiveness and motor planning difficulties. Therefore, ASI provides a comprehensive therapeutic approach

to improve sensory processing, motor development, and functional participation for children with developmental challenges.

Digital app explorations

Ayres Sensory Integration (ASI), introduced by Dr. A. Jean Ayres in the 1970s, emphasizes the importance of intersensory integration for children's learning, emotional regulation, and adaptive behavior. Challenges in sensory processing can impede a child's daily activities, such as dressing and socializing (Kilroy et al., 2019). ASI highlights the brain's capacity to receive and interpret sensory information, noting that impairments can affect vestibular, proprioceptive, tactile, and emotional systems, resulting in difficulties with movement, attention, and behavior.

The vestibular and proprioceptive systems are essential for postural control and motor planning (Lane et al., 2019). Children with Autism Spectrum Disorder (ASD) often face sensory processing challenges, leading to sensory overload and maladaptive responses. Ayres acknowledged that ineffective sensory processing could reduce children's motivation and involvement in meaningful activities.

Sensory Integration Therapy (SIT), typically conducted by occupational therapists, aims to improve sensory processing through structured sensory-motor activities known as "just-right challenges." Examples include swinging and obstacle courses, which are meant to enhance sensory organization and motor planning. ASI benefits children with coordination issues, ADHD, ASD, and other behavioral disorders (Kashefimehr et al., 2017).

This therapy is based on neuroplasticity, suggesting that repetitive sensory experiences can reform neural pathways and boost functionality. (Randell et al., 2019) Research indicates that enriched sensory environments promote brain development and enhance adaptive behavior, with ASI linked to improvements in motor skills, attention, communication, and social engagement. Even minor enhancements can substantially

improve the quality of life for children with significant developmental disorders (Schoen et al., 2019)s.

To assess sensory processing difficulties, professionals utilize sensory profiles, parent interviews, and behavioral observations, leading to personalized intervention plans (Drobnyk et al., 2019), (Devlin et al., 2011). Sensory issues are categorized into modulation, discrimination, and motor disorders, tackling problems like over-responsiveness and motor planning difficulties. Therefore, ASI provides a comprehensive therapeutic approach to improve sensory processing, motor development, and functional participation for children with developmental challenges.

Educational Apps for Fine motor skills

Ayres Sensory Integration (ASI), introduced by Dr. A. Jean Ayres in the 1970s, emphasizes the importance of intersensory integration for children's learning, emotional regulation, and adaptive behavior. Challenges in sensory processing can impede a child's daily activities, such as dressing and socializing (Kilroy et al., 2019). ASI highlights the brain's capacity to receive and interpret sensory information, noting that impairments can affect vestibular, proprioceptive, tactile, and emotional systems, resulting in difficulties with movement, attention, and behavior.

The vestibular and proprioceptive systems are essential for postural control and motor planning (Lane et al., 2019). Children with Autism Spectrum Disorder (ASD) often face sensory processing challenges, leading to sensory overload and maladaptive responses. Ayres acknowledged that ineffective sensory processing could reduce children's motivation and involvement in meaningful activities.

Sensory Integration Therapy (SIT), typically conducted by occupational therapists, aims to improve sensory processing through structured sensory-motor activities known as "just-right challenges." Examples include swinging and obstacle courses, which are meant to enhance sensory organization and motor planning. ASI benefits children

with coordination issues, ADHD, ASD, and other behavioral disorders (Kashefimehr et al., 2017).

This therapy is based on neuroplasticity, suggesting that repetitive sensory experiences can reform neural pathways and boost functionality. (Randell et al., 2019) Research indicates that enriched sensory environments promote brain development and enhance adaptive behavior, with ASI linked to improvements in motor skills, attention, communication, and social engagement. Even minor enhancements can substantially improve the quality of life for children with significant developmental disorders (Schoen et al., 2019)s.

To assess sensory processing difficulties, professionals utilize sensory profiles, parent interviews, and behavioral observations, leading to personalized intervention plans (Drobnyk et al., 2019), (Devlin et al., 2011). Sensory issues are categorized into modulation, discrimination, and motor disorders, tackling problems like over-responsiveness and motor planning difficulties. Therefore, ASI provides a comprehensive therapeutic approach to improve sensory processing, motor development, and functional participation for children with developmental challenges.

Integrating Sensory Input for Graphomotor Enhancement

Ayres Sensory Integration (ASI), introduced by Dr. A. Jean Ayres in the 1970s, emphasizes the importance of intersensory integration for children's learning, emotional regulation, and adaptive behavior. Challenges in sensory processing can impede a child's daily activities, such as dressing and socializing (Kilroy et al., 2019). ASI highlights the brain's capacity to receive and interpret sensory information, noting that impairments can affect vestibular, proprioceptive, tactile, and emotional systems, resulting in difficulties with movement, attention, and behavior.

The vestibular and proprioceptive systems are essential for postural control and motor planning (Lane et al., 2019). Children with Autism Spectrum Disorder (ASD) often face sensory processing challenges, leading

to sensory overload and maladaptive responses. Ayres acknowledged that ineffective sensory processing could reduce children's motivation and involvement in meaningful activities.

Sensory Integration Therapy (SIT), typically conducted by occupational therapists, aims to improve sensory processing through structured sensory-motor activities known as "just-right challenges." Examples include swinging and obstacle courses, which are meant to enhance sensory organization and motor planning. ASI benefits children with coordination issues, ADHD, ASD, and other behavioral disorders (Kashefimehr et al., 2017).

This therapy is based on neuroplasticity, suggesting that repetitive sensory experiences can reform neural pathways and boost functionality. (Randell et al., 2019) Research indicates that enriched sensory environments promote brain development and enhance adaptive behavior, with ASI linked to improvements in motor skills, attention, communication, and social engagement. Even minor enhancements can substantially improve the quality of life for children with significant developmental disorders (Schoen et al., 2019)s.

To assess sensory processing difficulties, professionals utilize sensory profiles, parent interviews, and behavioral observations, leading to personalized intervention plans (Drobnyk et al., 2019), (Devlin et al., 2011). Sensory issues are categorized into modulation, discrimination, and motor disorders, tackling problems like over-responsiveness and motor planning difficulties. Therefore, ASI provides a comprehensive therapeutic approach to improve sensory processing, motor development, and functional participation for children with developmental challenges.

Incorporating Play-Based Learning in Graphomotor Development

Play is crucial for childhood development, enhancing physical, cognitive, emotional, and social skills. It fosters motor skills, creativity, and engagement, which are vital alongside academic pursuits. Notably, early

childhood is critical for motor development due to rapid neurological advancements. Active play strengthens motor skills and overall health, while excessive screen time can impede development, underscoring the need for meaningful play experiences (Suggate et al., 2016); (Bergen, 2009);(Komaini & Mardela, 2019).

Goal-oriented play consists of structured tasks that enhance strength, endurance, speed, agility, balance, and coordination (Hong et al., 2016). It also advances cognitive skills by promoting exploration, trial-and-error learning, and creativity. Active play contributes to longer attention spans, better social skills, adaptability, and emotional health. Consistent physical activity benefits both phsysical and mental development by enhancing sensory awareness and movement control (Taliaferro & Hammond, 2016).

Motor skills are categorized into gross motor skills, which involve large muscle movements for activities like running, jumping, and balancing, and fine motor skills, which require precise movements of smaller muscles, especially in the hands and fingers for tasks like writing and drawing. Fine motor skills develop gradually through ongoing practice in early childhood and are closely linked to handwriting aptitude and academic performance (Kokštejn et al., 2017).

Motor development relies on the harmonious functioning of the nervous system, muscles, and skeletal system. Sensory-motor play, role-playing, clay manipulation, and outdoor games significantly enhance children's strength, coordination, dexterity, and graphomotor skills. Research underscores that structured motor activities and play-based interventions are particularly advantageous for children with developmental delays. Consequently, integrating purposeful play and fine motor tasks within early childhood education is crucial for supporting holistic child development and equipping them with essential skills for future academic and functional success.

Occupational Therapy Approaches for Graphomotor Enhancement

Occupational therapy interventions are often recommended for children experiencing handwriting difficulties, as they are crucial for academic achievement and readiness for school-related tasks. Research indicates that such interventions effectively enhance various essential skills, including visual motor integration, cognitive abilities, motor functions, and behavioral skills, while also increasing parental and teacher engagement in the therapy process. Specific procedures for administering occupational therapy to young children are outlined in the referenced materials (Kováčová & Listiakova, 2017).

Table 1: Tasks of occupational therapy

Early childhood occupational therapy (Tasks)	**Description**
Activate mobility in significant circumstances	With an emphasis on the intricate development of a kid's personality, the professional must be able to choose the environment and the circumstances that both activate the child and provide social interaction chances. It is appropriate to select scenarios for young children that involve basic tasks like tearing and adhering paper or putting together easy puzzles. Playing creative games with a partner, such making an inventive image out of trash or sewing objects together, is suitable for preschool-aged kids.
Make available efficient methods of transportation	Occupational therapy helps people with a wide variety of mobility issues. The youngster can be assisted in integrating into daily life by using the right techniques.

Get everything ready to welcome a child that has special needs in the area of motor skills.	Putting the youngster in an environment that maximises their visual, auditory, and motor skills is beneficial. Finding experts and getting useful advice from them is also a wonderful idea. It's critical to engage fully with society and the environment. Kids should sit facing the therapist with their eyes level with hers. By holding the material in a certain way, the therapist makes it visible to the child. It is critical to use age-appropriate language, facial expressions, and vocal intonation in all interactions with the youngster. It must be used continuously for all daily tasks.
Use appropriate strategies	Throughout the intervention, all actions aimed at increasing mobility efficiency and the associated independence must be carried out with the proper methodologies. It's important to give kids time and space during these activities so they can plan their work. Regardless of the outcome of the activity, the professional must respond to all of the child's attempts. Youngsters learn best in an upbeat, cheerful setting that encourages play.

Effective parent counseling emphasizes that motor skills develop through imitation, not spontaneously. Delayed motor skill development necessitates targeted interventions. Dyspraxia is indicated when a child's coordination for age-appropriate fine or gross motor tasks is significantly below expectations, affecting about 5-8% of school-age children. Early childhood stimulation should focus first on gross motor skills enhancing larger muscle coordination—before advancing to fine motor skills. After addressing foundational skills, occupational therapists concentrate on graphomotor abilities, employing tailored exercises categorized into manipulation, preparation, and graphomotor workouts.

Table 2: Classification of exercises centered on the domain of graphomotor skills

Graphomotor exercises	Description of exercises	Occupational therapy for children and youth: specific exercise examples
Manipulation exercises	Children under the age of two should not participate in manipulation activities. Using the pre-artistic materials provided, the exercises stimulate motor and manipulation abilities, supporting both gross and fine motor skills.	Children can experiment and learn about the world around them by manipulating everyday objects like water, sand, clay, flour, and even more natural objects like stones, twigs, and beans. This helps children develop their tactile sensibility, knowledge of cause and effect, and their ability to set goals.
Preparation exercises	Children in the age range of three to four often participate in preparatory activities for the growth of graphomotor abilities.	They are done with a pencil on enormous pieces of paper or card board. Additionally, pavements are employed as drawing spaces with loose boundaries. Among the preparation exercises are gross motor skills (arm and body) relaxation exercises. Afterwards, finger and palm coordination is the main emphasis of the relaxation exercises.

Graphomotor exercises	In order to aid in the growth of graphomotor expression, graphomotor exercises involve more than just the mechanical training of specific graphic components.	Graphomotor exercises stimulate skills through verbal, tactile, motor, and visual aspects. Verbal support, such as short stories, riddles, rhymes, or poems, is recommended, while descriptive instruction is not. Tactile support involves tactile perception of similar objects, while motor support involves imaginary movement.

Monitoring and Assessing progress in Graphomotor Development

Effective monitoring and evaluation of graphomotor development are vital for identifying children's abilities and detecting developmental challenges, facilitating tailored early interventions. Methods such as developmental checklists assess milestones in hand-eye coordination, fine motor skills, and handwriting capabilities, identifying strengths and areas needing improvement, like pencil grip and letter formation. Observation-based assessment allows educators and parents to gather qualitative insights by examining children's interactions with writing materials, focusing on posture, grip, and writing fluency.

These assessments inform individualized progress plans with specific goals aimed at enhancing skills like pencil grip and coordination, with regular evaluations to modify interventions based on progress (KUZEVA et al., 2015). The integration of digital technology in graphomotor assessment has enhanced the monitoring process through advanced tools that measure writing speed, accuracy, and pressure, thereby supporting the development of vital digital literacy skills.

Recognizing and encouraging children's achievements through positive reinforcement is essential for boosting motivation and engagement in writing activities. Additionally, assessments must take into account individual, cultural, and learning differences to ensure inclusivity and

responsiveness to diverse developmental patterns. In summary, systematic monitoring and supportive evaluation methods are crucial for promoting effective graphomotor development, ensuring preparedness for writing and academic success.

Challenges and Special considerations in Graphomotor Intervention

In order to effectively address graphomotor issues in children, a comprehensive understanding of the various elements that contribute to obstacles in the development of fine motor abilities is necessary. Interventions are important, but to make sure they are efficient, inclusive, and catered to each person's requirements, it is necessary to identify and manage specific obstacles and unique considerations.

The great range of developmental diversity among children is a major barrier in graphomotor intervention. Every child develops at their own rate, and some may face obstacles or delays because of things like sensory processing impairments, developmental disorders, or problems with motor coordination. It is essential to design interventions that take these variations into account (Smekal et al., 2020). For example, activities that progressively introduce children with sensory sensitivity to various writing instrument textures and pressures may be beneficial. A vital part of graphomotor intervention also involves cultural and language factors. Worldwide, writing systems and teaching methods differ, and youngsters from different backgrounds could face different difficulties. In order to ensure that the tactics used are in line with the child's cultural background, educators and intervention specialists must be culturally competent and integrate culturally relevant materials and practices into interventions.

Plans for individualized instruction need to be adaptive and flexible. While some kids might benefit from conventional interventions, others might need to use different strategies. Children with neurodivergent conditions, such as attention deficit hyperactivity disorder (ADHD) or dysgraphia, should get special consideration. Ensuring that interventions are

tailored to the unique learning styles and cognitive profiles of each kid guarantees that they receive the necessary support.

In graphomotor therapies, inclusivity and accessibility are critical components. When using writing instruments, children with physical limitations could encounter particular difficulties. Under such circumstances, learning material adaptations, assistive technology, and adaptable tools become indispensable. It's critical to have an inclusive setting where kids of all physical abilities can engage in active graphomotor activities (Bonneton-bott et al., 2023).

One cannot ignore the psychological component of graphomotor difficulties. Fine motor skill deficits in children can lead to frustration, anxiety, or low self-esteem. Interventions ought to include techniques for dealing with these emotional issues and encouraging a positive outlook on writing assignments. Children can develop resilience and self-worth in the face of adversity by receiving encouragement, being praised for their efforts, and being raised in a low-stress atmosphere. In graphomotor intervention, working in tandem with parents, carers, and other experts is crucial (Berningera et al., 2008). Maintaining open lines of communication guarantees that the intervention strategy incorporates views from all points of view. In particular, parental engagement is very important because parents are the ones who continue to encourage and reinforce abilities at home. Another thing to think about is the digital gap, particularly when it comes to technology-based treatments. Certain digital tools may not be as helpful in homes where there is limited access to devices or the internet. Equity in resource access should be considered, and alternatives for interventions should be devised to fit different socioeconomic circumstances.

Conclusion

By highlighting the diverse character of therapies for graphomotor improvement in the crucial developmental stage of three to seven years, this

research paper highlights the importance of the topic. Educators, parents, and intervention professionals have access to a diverse toolkit as a result of the combination of traditional methods and technology-based techniques. It should come as no surprise that the combination of play, sensory experiences, and adaptive technologies results in the creation of a rich learning environment that is conducive to the improvement of fine motor skills. The participation of parents in a collaborative manner, in conjunction with the development of individualized progress plans, guarantees a supportive and individualized approach to the specific requirements of each child. The research paper advocates for inclusive practices and fair access to interventions, taking into consideration difficulties such as the digital gap, neurodiversity, and cultural diversity which are all recognized in the research paper. This research paper anticipates the continuous evolution of technology's role in education and the requirement for adaptive solutions that suit the increasing demands of young learners. As we look to the future, this particular research paper anticipates both of these developments. The research paper, in the end, functions as a thorough guide for practitioners and carers, promoting an awareness of effective graphomotor interventions that establish the foundation for a child's journey in written expression throughout their entire life.

Reference

Bergen, D. (2009). Play as the Learning Medium for Future Scientists , Mathematicians , and Engineers.

Berningera, V. W., Nielsena, K. H., Abbotta, R. D., Ellen Wijsmanb, c, A., & Raskind, W. (2008). Writing Problems in Developmental Dyslexia: Under-Recognized and Under-Treated. J Sch Psycho, 46(1), 1–20. https://doi.org/10.1016/j.jsp.2006.11.008

Bonneton-bott, N., Miramand, L., & Bailly, R. (2023). Teaching and Rehabilitation of Handwriting for Children in the Digital Age : Issues and Challenges. Children, 10(7), 1–20. https://doi.org/https://doi.org/10.3390/children10071096

Deuel, R. K., & Doar, B. P. (1992). Developmental manual dyspraxia: a lesson in mind and brain. J Child Neurol, 7(1), 99–103. https://doi.org/10.1177/088307389200700117

Devlin, S., Healy, O., Leader, G., & Hughes, B. M. (2011). Comparison of Behavioral Intervention and Sensory-Integration Therapy in the Treatment of Challenging Behavior. Journal of Autism and Developmental Disorders, 41(10), 1303–1320. https://doi.org/10.1007/s10803-010-1149-x

Drobnyk, W., Rocco, K., Davidson, S., Bruce, S., Zhang, F., & Soumerai, S. B. (2019). Sensory Integration and Functional Reaching in Children With Rett Syndrome / Rett-Related Disorders. Clinical Medicine Insights: Pediatrics, 13, 1–11. https://doi.org/10.1177/1179556519871952

Graham, S. (2018). Handwriting instruction: a commentary on five studies. Reading and Writing, 31, 1–11. https://doi.org/10.1007/s11145-018-9854-5

Graham, S., Harris, Æ. K. R., Mason, Æ. L., Susan, B. F. Æ., & Bruce, M. Æ. (2008). How do primary grade teachers teach handwriting ? A national survey. Read Writ, 21(1), 49–69. https://doi.org/10.1007/s11145-007-9064-z

Harris, S. J., & Livesey, D. J. (1985). Improving Handwriting Through Kinaesthetic Sensitivity Practice. Aust Occup Ther J, 39(1), 23–27. https://doi.org/10.1111/j.1440-1630.1992.tb01731.x.

Hong, J., Hwang, M., Liu, Y., Lin, P., & Chen, Y. (2016). The role of pre-game learning attitude in the prediction to competitive anxiety , perceived utility of pre-game learning of game , and gameplay interest. Interactive Learning Environments, 4820(February), 1–14. https://doi.org/10.1080/10494820.2013.841263

John, S., & Renumol, V. G. (2018). Impact of Fine Motor Skill Development App on Handwriting Performance in Children with Dysgraphia : A Pilot Study. https://doi.org/10.1145/3284497.3284502

Kashefimehr, B., Kayihan, H., & Huri, M. (2017). The Effect of Sensory Integration Therapy on Occupational Performance in Children With Autism. OTJR: Occupation, Participation and Health, 38(2), 75–83. https://doi.org/10.1177/1539449217743456

Kilroy, E., Aziz-zadeh, L., & Cermak, S. (2019). Ayres Theories of Autism and Sensory Integration Revisited : What Contemporary Neuroscience Has to Say. Brain Sciences, 68(9), 1–20. https://doi.org/10.3390/brainsci9030068

Kokštejn, J., Musálek, M., Šťastný, P., & Golas, A. (2017). Fundamental motor skills of Czech children at the end of the preschool period. Acta Gymnica, 47(4), 193–200. https://doi.org/10.5507/ag.2017.024

Komaini, A., & Mardela, R. (2019). Motor Development Index (MDI) Based on Combination of Human Development Index (HDI) and Sport Development Index (SDI) as a Success Parameter of Motor Development among Preschool Children : An Observational Study Motor Development Index (MDI) Based. Journal of Physics: Conference Series, 1529, 1–10. https://doi.org/10.1088/1742-6596/1529/3/032003

Kováčová, B., & Listiakova, I. L. (2017). Analysis of early childhood occupational therapy intervention in a group of clients with low graphomotor skills. 1(10).

KUZEVA, O. A., ROMANOVA, A. A., KORNEEV, A. A., & AKHUTINA, T. V. (2015). The Dynamics of Programming , Control and the Movement Sequential Organization Skills as the Basic Components of Writing (Based on Data from Graphomotor Tests). Russian Education & Society, 57(9), 757–782. https://doi.org/10.1080/10609393.2015.1125707

Lane, S. J., Mailloux, Z., Schoen, S., Bundy, A., May-benson, T. A., Parham, L. D., Roley, S. S., & Schaaf, R. C. (2019). Neural Foundations of Ayres Sensory Integration. Brain Sciences, 9(7), 1–14. https://doi.org/https://doi.org/10.3390/brainsci9070153

Lelong, M., Zysset, A., Nievergelt, M., Luder, R., Götz, U., Schulze, C., & Wieber, F. (2021). How effective is fine motor training in children with ADHD ? A scoping review. Lelong et Al. BMC Pediatr, 21, 1–21. https://doi.org/10.1186/s12887-021-02916-5

Levine, M., Gordon, B., & Reed, M. (1993). Developmental Variation and Learning Disorders. https://www.semanticscholar.org/paper/Developmental-Variation-and-Learning-Disorders-Levine-Gordon/f3eabf98b2061e79665255eccd7cb7caafc0fb69#citing-papers

Operto, F. F., Viggiano, A., Perfetto, A., Citro, G., Olivieri, M., Simone, V. De, Bonuccelli, A., Orsini, A., Aiello, S., Coppola, G., Maria, G., & Pastorino, G. (2023). Digital Devices Use and Fine Motor Skills in Children between 3–6 Years. Children, 10(6), 1–15. https://doi.org/https://doi.org/10.3390/children10060960

Ouellette, G., & Sénéchal, M. (2017). Invented Spelling in Kindergarten as a Predictor of Reading and Spelling in Grade 1 : A New Pathway to Literacy , or Just the Same Road , Less Known ? Developmental Psychology, 53(1), 77–88. https://doi.org/10.1037/dev0000179

Randell, E., Mcnamara, R., Delport, S., Busse, M., Hastings, R., Gillespie, D., Williams-Thomas, R., Brookes-Howell, L., Romeo, R., Boadu, J., Ahuja, A., McKigney, A., Knapp, M., Smith, K., Thornton, J., & Warren, G. (2019).

Sensory integration therapy versus usual care for sensory processing difficulties in autism spectrum disorder in children: Study protocol for a pragmatic randomised controlled trial. Trials, 20. https://doi.org/10.1186/s13063-019-3205-y

Sandvik, M., Smørdal, O., & Østerud, S. (2012). Exploring iPads in Practitioners ' Repertoires for Language Learning and Literacy Practices in Kindergarten. Nordic Journal of Digital Literacy, 7(3), 204–220. https://doi.org/10.18261/ISSN1891-943X-2012-03-05

Schoen, S. A., Lane, S. J., Mailloux, Z., May-benson, T., Parham, L. D., Roley, S. S., & Schaaf, R. C. (2019). A Systematic Review of Ayres Sensory Integration Intervention for Children with Autism. Autism Res, 12(1), 6–19. https://doi.org/10.1002/aur.2046

Smekal, Z., Member, S., Safarova, K., Ondrackova, A., Urbanek, T., Havigerova, J. M., Bednarova, J., & Faundez-zanuy, M. (2020). Advanced Parametrization of Graphomotor Difficulties in School-aged Children. 1–16. https://doi.org/10.1109/ACCESS.2020.3003214

Suggate, S., Pufke, E., & Stoeger, H. (2016). Do fine motor skills contribute to early reading development ? Journal of Research in Reading, 41(1), 1–19. https://doi.org/10.1111/1467-9817.12081

Taliaferro, A. R., & Hammond, L. (2016). " I Don ' t Have Time ": Barriers and Facilitators to Physical Activity for Adults With Intellectual Disabilities. Adapted Physical Activity Quarterly, 33, 113–133. https://doi.org/http://dx.doi.org/10.1123/APAQ.2015-0050

Taverna, L., Tremolada, M., Dozza, L., Scaratti, R. Z., Ulrike, D., Lallo, C., & Tosetto, B. (2020). Who Benefits from An Intervention Program on Foundational Skills for Handwriting Addressed to Kindergarten Children and First Graders ? International Journal of Environmental Research and Public Health, 17, 1–24. https://doi.org/10.3390/ijerph17062166

Taylor, P., Bartram, D., Banerji, N., Rothwell, D., & Smith, P. (2007). Task parameters affecting individual differences in pursuit and compensatory tracking performance. Ergonomics, 28(12), 37–41. https://doi.org/10.1080/00140138508963300

Wai, A., Ma, W., & Qu, L. (2016). The Effect of Exergaming on Eye-Hand Coordination among Primary School Children : A Pilot Study. Advances in Physical Education, 6(2), 99–102. https://doi.org/10.4236/ape.2016.62011